## BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

B332 TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE)							
Formula							
Ingredients:	gms/lit.						
Peptone, special	18.00						
Yeast extract	2.00						
Sodium chloride	5.00						
D-Mannitol	2.50						
Dextrose	0.50						
Sodium deoxycholate	0.50						
Sodium thiosulphate	38.00						
Calcium carbonate	25.00						
Brilliant green	0.01						
Final pH (at 25°C) : 7.6 <u>+</u> 0.2							
Directions:							

## Directions:

Suspend 91.51 grams in 1000 ml distilled water. Heat just to boiling or place in flowing steam for 30 minutes. DO NOT AUTOCLAVE. Cool to 45°C. Mix and add 40 ml of Iodine solution (8 g potassium iodide and 5 g iodine per 40 ml). Mix and dispense 10 ml amounts in tubes. Do not heat after addition of iodine.

Note: Due to the presence of calcium carbonate, the prepared medium forms opalescent solution with a white precipitate.

## **Principle:**

Peptone special and yeast extract are the sources of carbon, nitrogen, vitamins and minerals. The selectivity depends on the ability of thiosulphate and tetrathionate (formed by the addition of iodine-iodide) to suppress commensal coliform organisms. Sodium deoxycholate and brilliant green inhibit gram-positive organisms. Dextrose and Mannitol are the carbohydrates sources. Calcium carbonate neutralizes the acidic tetrathionate decomposition products. Sodium chloride maintains the osmotic balance of the medium.

QC Tests - (I)Deh	ydrated Medium									
Colour:		Cream to light green								
Appearance:		Homogeneous Free Flowing powder								
(II)Rehydrated medium										
pH (post autoclaving/heating):			7.6 ± 0.2							
			Light green							
Clarity (post autoclaving/heating):			Opalescent solution with heavy white precipitate.							
(III)Q.C. Test Microbiological										
Cultural charac	teristics observe	d after a	n incuba	ation a	t 35-37	°C for 18-24 ho	ours. (Recove	ry is		
done on MacCo	nkey Agar B238)									
MICROORGANISM (ATCC) GR		GROV	NOWTH ON B 238		COLOUR OF COLONY ON					
					MacConkey Agar (B238)					
Salmonella typ	Salmonella typhimurium (14028) Good		-luxuriant		Colourless					
Salmonella ariz			ood-luxuriant		Colourless					
Salmonella Ent	Salmonella Enteritidis (13076) G		Good-luxuriant		Colourless					
Escherichia coli			to good		Pink-red with bile precipitate					
Precautions :	1. For Laborato	ry Use.								
	2. Follow proper, established laboratory procedures in handling and disposing of							ig of		
	infectious materials. 3. IRRITANT. Irritating to eyes, respiratory system and skin. Avoid contact with skin and eyes. Do not breathe dust. Wear suitable protective clothing. Keep									
								Keep		
		container tightly closed.								
Limitations :	1. Since the nutritional requirements of organisms vary, some strains may be							y be		
	encountered that fail to grow or grow poorly on this medium.									
Use:	For enrichment and isolation of Salmonellae and Arizonae.									
Storage:	Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.									
Packing:	500 gm. bottle									
Product profile:				pH (	25°C)	Supplement	Sterilizatio	n		
		Preparat	ion							
		(500g)								
B332	91.5g/l	5.4	64L	7.6 ±	= 0.2	Iodine solution		NOT		
							AUTOCLAVE			

Refer disclaimer Overleaf

Page 01 of 02

## Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

Page 02 of 02