BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

BH612	MANNITOL SALT AGAR				
Formula					
Ingredients:	Gms /lit.				
Peptic digest of casein	5.00				
Peptic digest of animal tissue	5.00				
Meat extract B #	1.00				
Sodium chloride	75.00				
D-Mannitol	10.00				
Phenol red	0.025				
Agar	15.00				
#-equivalent to beef extract					
Final pH (at 25°C) : 7.4 \pm 0.2					

Directions :

Suspend 111.02 grams in 1000 ml purified/ distilled water. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes or as per validated cycle. Mix well & dispense as desired.

Note: This product contains 7.5% Sodium chloride as one of its ingredients. On repeated exposure to air and absorption moisture sodium chloride has tendency to form lumps, therefore storage in tightly closed containers in dry place away from bright light.

Principle :

The medium contains Meat extract, pancreatic digest of casein and peptic digest of animal tissue which makes it very nutritious as they provide carbon, nitrogen compounds, long chain amino acids, vitamins and other essential growth factors and trace nutrients. Many other bacteria except Staphylococci are inhibited by 7.5% sodium chloride. Mannitol is the fermentable carbohydrate fermentation of which leads to acid production, detected by phenol red indicator. S.aureus ferment mannitol and produce yellow coloured colonies surrounded by yellow zones. Coagulasenegative strains of S.aureus are usually mannitol non-fermenters and therefore produce pink to red colonies surrounded by red-purple zones. Presumptive coagulase-positive yellow colonies of S.aureus should be confirmed by performing the coagulase test tube or slide.

QC Tests – (I)	Dehydrated Medium						
	Colour :		Light yellow to pink				
	Appearance :		Homogeneous Free Flowing powder				
(II)Rehydrated medium							
pH (post autoclaving/heating) :		7.4 ± 0.2					
	Colour (post autoclaving/heating) :	Orangish red to red					
	Clarity (post autoclaving/heating) :	Clea	Clear to slightly opalescent				
(III) Q.C. Test Microbiological							
	Cultural characteristics observed after 18 - 72 hours at 35 - 37°C.						
	MICROORGANISM (ATCC)		GROWTH	COLOUR OF COLONY			
	Staphylococcus aureus (25923)		uxuriant	yellow/white colonies surrounded by yellow zone			
	Staphylococcus aureus ATCC (6538)		uxuriant	yellow/white colonies surrounded by yellow zone			
	Staphylococcus epidermidis (12228)		air to good	Red			
	Proteus mirabilis (12453)		None-poor	Yellow			
	Escherichia coli (25922)		nhibited				
	Escherichia coli ATCC 8739		nhibited				
	Escherichia coli (NCTC9002)		nhibited				
Precautions :	s: 1. For Laboratory Use.						
	2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.						
Limitations :	This medium is a selective medium; some strains of Staphylococcus aureus may exhibit a delayed						

BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

	fermentation of mannitol.								
Use :	For selective isolation of pathogenic Staphylococci from pharmaceutical products in accordance to								
	microbial limit testing by harmonized system of USP/BP/EP/JP.								
Storage :	Dehydrated medium- below 30 ° C Prepared mediums- Between 2 to 8°C.								
Packing :	500 gm. bottle								
Product	Reconstitution	Quantity on	pH (25°C)	Supplement	Sterilization				
profile:		Preparation (500g)	_						
BH612	111.02 g/l	4.50 L	7.4 ± 0.2	Nil	121°C/15min.				

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

Page 02 of 02