

# BIOMARK LABORATORIES, INDIA

## CERTIFICATE OF ANALYSIS

**PRODUCT :** King b agar

**PRODUCT CODE NO.:** B1355

### QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Cream to yellow
APPEARANCE	Homogenous free flowing powder

### QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	7.2+/-0.2
COLOR (post autoclaving/heating)	Cream to yellow
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

### QUALITY CONTROL TESTS : MICROBIOLOGICAL

#### CULTURAL RESPONSE:

Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Organism Description	Inoculum(CFU)	Growth	Recovery	Pigment production
Pseudomonas aeruginosa ATCC 17934	[50 -100]	[Good-Luxuriant]	[>=70%]	[greenish yellow]
Pseudomonas aeruginosa ATCC 27853	[50 -100]	[Good-Luxuriant]	[>=70%]	[greenish yellow]
Pseudomonas aeruginosa ATCC 9027	[50 -100]	[Good-Luxuriant]	[>=70%]	[greenish yellow]
Burkholderia cepacia ATCC 25609	[50 -100]	[Good-Luxuriant]	[>=70%]	[no pigment]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.