

CERTIFICATE OF ANALYSIS

PRODUCT : Mannitol salt broth

PRODUCT CODE NO.: B251

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Light Pink
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	7.4+/-0.2
COLOR (post autoclaving/heating)	Orangish red to red
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

QUALITY CONTROL TESTS : MICROBIOLOGICAL CULTURAL RESPONSE:

Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours.

Organism Description	Inoculum (CFU)	Growth	Colour of medium
Escherichia coli ATCC 25922	10 ³	Inhibited	-
Staphylococcus aureus ATCC 25923	50 -100	Good-Luxuriant	Yellow
Staphylococcus epidermidis ATCC 12228	50 -100	Fair-Good	Red

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.