

CERTIFICATE OF ANALYSIS

PRODUCT : Oxytetra glucose yeast agar base (ogye agar base)

PRODUCT CODE NO.: B279

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Light to medium yellow
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	7.0+/-0.2
COLOR (post autoclaving/heating)	Light amber
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

QUALITY CONTROL TESTS : MICROBIOLOGICAL CULTURAL RESPONSE:

Cultural characteristics observed with added 1 vial of Oxytetra Selective supplement(BF086), after an incubation at 25-30°C after 2-5 days.

Organism Description	Inoculum(CFU)	Growth	Recovery
*Aspergillus brasiliensis ATCC 16404	[50-100]	[Good-luxuriant]	[-]
Candida albicans ATCC 10231	[50-100]	[Good-luxuriantt]	[>=50%]
Escherichia coli ATCC 25922	[>=10 ³]	[inhibited]	[0%]
Saccharomyces uvarum ATCC 9080	[50-100]	[Good-luxuriant]	[>=50%]
Saccharomyces cerevisiae ATCC 9763	[50-100]	[Good-luxuriant]	[>=50%]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.