

# BIOMARK LABORATORIES, INDIA

## CERTIFICATE OF ANALYSIS

**PRODUCT :** Tcbs agar (selective)

**PRODUCT CODE NO.:** B766

### QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Light yellow to light tan
APPEARANCE	Homogenous free flowing powder

### QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	8.8+/-0.2
COLOR (post autoclaving/heating)	Bluish green
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

### QUALITY CONTROL TESTS : MICROBIOLOGICAL

#### CULTURAL RESPONSE:

Cultural characteristics observed after 18 –24 hrs at 35-37° C

Organism Description	INOCULUM(CFU)	GROWTH	RECOVERY	COLOUR OF COLONY
Enterococcus faecalis (29212)	[>=10 <sup>3</sup> ]	[inhibited]	[0%]	[-]
Escherichia coli(25922 )	[>=10 <sup>3</sup> ]	[Inhibited]	[0%]	[-]
Shigella flexneri (12022)	[>=10 <sup>3</sup> ]	[inhibited]	[0%]	[-]
Vibrio cholerae (15748)	[50-100]	[good-luxuriant]	[>=50%]	[yellow]
Vibrio fluvialis(33809)	[50-100]	[good-luxuriant]	[>=50%]	[yellow]
Vibrio parahaemolyticus (17802)	[50-100]	[good-luxuriant]	[>=50%]	[bluish green]
Vibrio vulnificus (29306)	[50-100]	[fair-good]	[>30%]	[greenish]

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.