

# BIOMARK LABORATORIES

## CERTIFICATE OF ANALYSIS

**PRODUCT :** R2a agar

**PRODUCT CODE NO.:** BH399

### QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Cream to yellow
APPEARANCE	Homogenous free flowing powder

### QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	7.2+/-0.2
COLOR (post autoclaving/heating)	Light yellow
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

### QUALITY CONTROL TESTS : MICROBIOLOGICAL CULTURAL RESPONSE:

Cultural characteristics observed by using standard ATCC cultures after an incubation at 35-37°C for 24-72 hours.

Organism Description	Growth
Candida albicans (10231)	[Good - Luxuriant]
Escherichia coli (8739)	[Good - Luxuriant]
Salmonella enteritidis (13076)	[Good - Luxuriant]
Salmonella typhi (6539)	[Good - Luxuriant]
Enterococcus faecalis (29212)	[Good - Luxuriant]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.