

MATERIAL SAFETY DATA SHEET**Section 1: Company Identification and Product information****Product Name: Streptococcus Selection Agar****Product Code No.:B751****Manufacturer's Name:**

BIOMARK LABORATORIES

135/1, DALVI WADI, DHAIRI,

NARHE NANDED ROAD

Pune - 411 041. INDIA

Tel. No. : 91 02024380877/24380026/8459755093**E-mail:** biomarklabs@gmail.com**Date of revision:** June 2020**Section 2: Composition/Information on Ingredients****Composition****Ingredients Grams/Litre**

Casein enzymic hydrolysate	15.00
Papaic digest of soyabeanmeal	5.00
Dextrose	5.00
Sodium chloride	4.00
Sodium citrate	1.00
*Sodium sulphite	0.20
L-cystine	0.20
*Sodium azide	0.20
*Crystal violet	0.0002
Agar	15.00

*Toxic/Harmful material

Hazardous Component	CAS-No.	Hazard Symbol	Risk Phrases	Safety Phrases
Sodium Azide	26628-22-8	Toxic	R 28-32-50/53	S 28-45-60-61
Sodium sulphite	7757-83-7	Xn(Harmful)	R 22-36/38-68	S 26-36/37
Crystal violet	548-62-9	Xn (Harmful)	R 22-41-50/53	S 26-39-60-61

Section 3: Health Hazards Identification

Refer Section 2 and 15.

Section 4: First Aid Measures**General Information:**Symptoms of poisoning may even occur after several hours; therefore provide medical observations for at least 48 hours after the accident.**Ingestion:** If swallowed, seek medical attention if symptoms occur. Show physician product label or MSDS.**Inhalation:** If inhaled, supply fresh air or oxygen. Seek medical attention if breathing becomes labored or difficult**Eye Contact:** Rinse opened eye for at least 15 minutes under running water, lifting lower and up eyelids occasionally. Seek medical attention.

MATERIAL SAFETY DATA SHEET

Skin Contact: Remove contaminated clothing. Immediately wash with plenty of soap and water for at least 15 minutes. Wash clothing before reuse. Seek medical attention if irritation develops.

Section 5: Fire Fighting Measures

Use Carbon dioxide, ABC multipurpose dry chemical, or water spray. Fight larger fires with water spray or alcohol resistant foam. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Section 6: Accidental Release Measures

Personal Precautions: Wear suitable protective clothing. Remove contaminated exhaustion at the workplace.

Environmental Precautions: Prevent dispersion of material. Wipe up with damp sponge or mop.

Clean-up Methods: Avoid prolonged or repeated exposure. Absorb material, ventilate area, and wash spill site after material has been cleaned up. Avoid inhalation, contact with eyes and skin. Prevent formation of dust.

Section 7: Handling and Storage

Handling: Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Refer to Section 8

Storage: Store in cool, dry conditions below 30°C in well-sealed containers and protected from direct sunlight and moisture.

Section 8: Exposure Controls/ Personal Protection

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.

Section 9: Physical and Chemical Properties

Appearance: Homogeneous free flowing powder

Colour: Cream to yellow

pH: 7.4 ± 0.2 at 25°C

Section 10: Stability and Reactivity

Stability: Stable under recommended storage and handling conditions

Conditions to avoid: Exposure to sunlight and moisture

Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

Section 11: Toxicological Information

LD/LC50 values that are relevant:

LD50: ORL-RAT, 27 mg/kg, Sodium Azide (26628-22-8)

Carcinogenicity: Not listed.

Eye: Produces irritation.

Inhalation: Irritant if inhaled, coughing possible.

MATERIAL SAFETY DATA SHEET

Chronic: Target organs: Cardiovascular system, respiratory system, central nervous system, eyes, kidneys and skin. Prolonged or repeated skin contact may cause dermatitis.

Additional toxicological information: This product has a TDLo of 118 mg/kg (Or-human) based upon Sodium Azide content. Classified as Harmful, Irritant.

Section 12: Ecological Information

Ecotoxicity Tests: Water Hazard Class 1. Slightly hazardous for water. The ecological effects have not been thoroughly investigated, but currently none have been identified.

Section 13: Disposal Considerations

Disposal consideration: Non-hazardous waste. Dispose of according to all federal, state and local applicable regulations.

Container information: Containers should be cleaned by appropriate methods and then reused or disposed of by landfill or incineration as applicable.

Section 14: Transport Information

DOT Regulations: Not Regulated
Not classified.

Section 15: Regulatory Information

Risk Phrases:

R 28, Very toxic if swallowed.

R 32, Contact with acids liberates very toxic gas

R 50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic Environment

R41, Risk of serious damage to eyes.

R22, Harmful if swallowed.

R36/38, Irritating to eyes and skin.

R68, Possible risk of irreversible effects.

Safety Phrases:

S26, In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 28, After contact with skin, wash immediately with plenty of water.

S36/37, Wear suitable protective clothing and gloves.

S 45, In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

S 60, This material and its container must be disposed of as hazardous waste

S61, Avoid release to the environment. Refer to special instructions/Safety data sheets

S39, Wear eye/face protection.

MATERIAL SAFETY DATA SHEET

Section 16: Other Information

Information contained herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty is expressed or implied regarding the completeness or accuracy of this information. Users of this material should satisfy themselves by independent investigation of current scientific or medical information that this material may be safely handled.