MATERIAL SAFETY DATA SHEET

Section 1: Identification of the substances/mixtures and of the company/undertaking

A. Product information Product Name: Fraser Broth Base

Product Code No.:B963I

REACH registration no.- This product is a mixture. REACH registration no.is not available for this product.

B. Relevant identified uses of the substance/mixture and uses advised against-Relevant identified uses- For Institutional/Industrial and laboratory use. For *in-vitro* diagnosis. Not for medicinal /Drug use.

C. Manufacturer's Name:

BIOMARK LABORATORIES 135/1, DALVI WADI, DHAIRI, Pune – 411 041. INDIA

Tel. No.: (91)-8459755093, E-mail: biomarklabs@gmail.com Date of revision: February 2025

Section 2: Composition/Information on Ingredients

Composition

Ingredients	Grams/Litre
Casein enzymic hydrolysate	5.00
Peptic digest of animal tissue	5.00
Yeast extract	5.00
Meat extract	5.00
Sodium chloride	20.00
Lithium chloride	3.00
Disodium phosphate	12.00
Potassium dihydrogen phosphate	1.35
Esculin	1.00

Irritant material

Hazardous Components	CAS-No.	Hazard Symbol	Risk Phrases	Safety Phrases
Lithium Chloride	7447-41-8	Xn (Irritant)	R 22-36/37/38	S 26-36/37/39
Esculin	531-75-9	Xn (Irritant)	R 20-21-22	

Components	CAS-No.	Hazard Symbol
Casein enzymic hydrolysate	65072-00-6	NA
Papaic digest of soyabean mea	91079-46-8	NA
Sodium chloride	7440-23-5	NA

BIOMARK Laboratories-INDIA

www.biomarklabs.com

MATERIAL SAFETY DATA SHEET

Yeast extract	8013-01-2	NA
Meat extract	68990-09-0	NA
Disodium phosphate	19333-65-4	NA
Potassium dihydrogen phosphate	7778-77-0	NA

Section 3: Health Hazards Identification

Refer Section 2 and 15.

Section 4: First Aid Measures

General Information: No special measures required.

Ingestion: If swallowed, seek medical attention if symptoms occur. Show physician product label or MSDS.

Inhalation: If inhaled, supply fresh air or oxygen. Seek medical attention if breathing becomes labored or difficult

Eye Contact: Rinse opened eye for at least 15 minutes under running water, lifting lower and up eyelids occasionally. Seek medical attention.

Skin Contact: Remove contaminated clothing. Immediately wash with plenty of soap and water for at least 15 minutes. Wash clothing before reuse. Seek medical attention if irritation develops.

Section 5: Fire Fighting Measures

Use Carbon dioxide, ABC multipurpose dry chemical, or water spray. Fight larger fires with water spray or alcohol resistant foam. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Section 6: Accidental Release Measures

Personal Precautions: Wear suitable protective clothing. Remove contaminated exhaustion at the workplace.

Environmental Precautions: Prevent dispersion of material. Wipe up with damp sponge or mop. **Clean-up Methods:** Avoid prolonged or repeated exposure. Absorb material, ventilate area, and wash spill site after material has been cleaned up. Avoid inhalation, contact with eyes and skin. Prevent formation of dust.

Section 7: Handling and Storage

Handling: Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Refer to Section 8 **Storage:** Store in cool, dry conditions below 30°C in well-sealed containers and protected from direct sunlight and moisture.

Section 8: Exposure Controls/ Personal Protection

BIOMARK Laboratories-INDIA

www.biomarklabs.com

MATERIAL SAFETY DATA SHEET

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.

Section 9: Physical and Chemical Properties

Appearance: Homogeneous free flowing powder

Colour: Cream to yellow **pH:** 7.2 ± 0.2 at 25°C

Section 10: Stability and Reactivity

Stability: Stable under recommended storage and handling conditions

Conditions to avoid: Exposure to sunlight and moisture

Hazardous polymerization will not occur

Section 11: Toxicological Information

LD/LC50 values that are relevant: LD50 ORL-RAT: 526 mg/kg - Lithium Chloride

Carcinogenicity: Not listed.

Irritant: Irritant to eyes, skin, and mucous membranes.

Sensitization: No sensitizing effects known.

Sub-acute to chronic toxicity: Target organs: nervous system, respiratory system, muscle and

kidneys.

Additional toxicological information: Irritant.

Section 12: Ecological Information

Eco toxicity Tests: Generally not hazardous to water. No specific data available.

Section 13: Disposal Considerations

Disposal consideration: Non- hazardous waste. Dispose of according to all federal, state and local applicable regulations.

Container information: Containers should be cleaned by appropriate methods and then reused or disposed of by landfill or incineration as applicable.

Section 14: Transport Information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

BIOMARK Laboratories-INDIA

www.biomarklabs.com

MATERIAL SAFETY DATA SHEET

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user-no

Further information

Not classified as dangerous in the meaning of transport regulations.

Section 15: Regulatory Information

Risk Phrases:

R 22, Harmful if swallowed.

R 36/37/38, Irritating to eyes, respiratory system and skin.

R20, Harmful by inhalation.

R21, Harmful in contact with skin.

Safety Phrases:

S 26, In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 36/37/39, Wear suitable protective clothing, gloves and eye/face protection.

S36, Wear suitable protective clothing.

Section 16: Other Information

Information contained herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty is expressed or implied regarding the completeness or accuracy of this information. Users of this material should satisfy themselves by independent investigation of current scientific or medical information that this material may be safely handled.