

**TECHNICAL SHEET**

<b>AS002</b>	<b>Dermatophyte Test Medium Slant</b>	
<b>Formula</b>		
<b>Ingredients:</b>	<b>gms/lit.</b>	
Soya peptone	10.00	
Dextrose	10.00	
Phenol red	0.20	
Agar	20.00	
Final pH (at 25°C): 5.5 ± 0.2		
<b>Directions:</b>		
Streak the test inoculum aseptically into the slant and incubate at appropriate conditions.		
<b>Principle:</b>		
The soya peptone provides nitrogenous and carbonaceous substances essential for growth, Dextrose is the energy source. A combination of three antimicrobial agents (Actidione, chlortetracycline and gentamicin) inhibits bacteria and saprophytic yeasts and molds. Dermatophytes are presumptively identified based on gross morphology and the production of alkaline metabolites, which raise the pH and cause the phenol red indicator to change the color of the medium from yellow to pink-red. D.T.M. Agar helps in isolation and early recognition of members of the Microsporum, Trichophyton by means of the distinct color change from yellow to red. Rapidly growing species may affect a complete color change within 3 days while slow growers will change color in proportionately longer time. Non-Dermatophytes can be recognized by the absence of color change. A few saprophytes, yeasts and bacteria change the medium from yellow to red, but can be easily distinguished by colonial morphology. Complete classification of Dermatophytes depends on microscopic observations along with biochemical and serological tests.		
<b>(I) QC Tests</b>		
pH:	5.5 ± 0.2	
Color:	Orange Red coloured slant.	
Appearance:	Sterile Dematophyte Test Agar in disposable slants.	
<b>(II) Sterility test</b>		
Passes release criteria		
<b>(III) Q.C. Test Microbiological</b>		
Cultural characteristics observed after incubation at 22 - 28°C for up to 6 days.		
MICROORGANISM (ATCC)	GROWTH	Color of colony
Trichophyton mentagrophytes 9533	Good	Pink-red
Candida albicans 10231	Good	-
Microsporum audouinii 9079	Good	Pink-red
Aspergillus niger 16404	none-poor	-
Pseudomonas aeruginosa 27853	none-poor	-

**TECHNICAL SHEET**

<b>Precautions :</b>	1. In Vitro diagnostic use only. 2. Read the label before opening the container
<b>Limitations :</b>	1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.
<b>Use:</b>	For selective isolation of dermatophytes.
<b>Storage:</b>	Store between 2-8°C. Use before expiry date on the label.
<b>Packing:</b>	10/25 disposable slants.

**Disclaimer:**

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.