

Disclaimer:

B1035		FEELEY GORMAN BROTH (F.G. BROTH)			
Formula					
Ingredients :		gms/lit.			
Casein acid hydrolysate		17.50			
Meat extract B#		3.00			
Starch		1.50			
L-cysteine hydrochloride		0.40			
Ferric pyrophosphate, soluble		0.25			
#- Equivalent to Beef extract					
Final pH (at 25°C) : 6.9 ± 0.2					
Directions :					
Suspend 23 gms in 1000 ml. distilled water. Boil to dissolve the medium completely. Sterilize by autoclaving at 15 lbspressure (121°C) for 15 minutes. Cool 45-50°C and aseptically add rehydrated contents of Legionella Supplement (BF026). Mix well before pouring into sterile tubes					
Principle :					
Casein acid hydrolysate, beef extract, L-cysteine hydrochloride and ferric pyrophosphate act as sources of nutrients. Incubation should be carried out in the presence of 2.5% Carbon – dioxide but if it exceeds, Legionella growth is inhibited due to acidic condition formed. It is recommended to inoculate FG and Legionella Agar with supplements simultaneously as Legionella usually do not grow initially on F.G. agar. Legionella species can be identified by their characteristic fluorescence in presence of UV light.					
QC Tests – (I)Dehydrated Medium					
Colour :		Yellow			
Appearance :		Homogeneous Free Flowing powder			
(II)Rehydrated medium					
pH (post autoclaving/heating) :		6.9 ± 0.2			
Colour (post autoclaving/heating) :		Yellow			
Clarity (post autoclaving/heating) :		Clear to slightly opalescent			
(III)Q.C. Test Microbiological					
Cultural characteristics observed after 4 days at 35-37°C, under 2.5% CO ₂ .					
MICROORGANISM (ATCC)		GROWTH		FLUORESCENCE UNDER 366 NM	
Legionella pneumophila (33153)		Good to luxuriant		Bright yellow	
Legionella bozemanni (33217)		Good to luxuriant		Blue – white	
Legionella micdadei (33218)		Good to luxuriant		None	
Precautions :					
1. For Laboratory Use.					
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.					
Limitations :					
1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.					
Use :					
B1035: For cultivation of Legionella species.					
Storage :					
Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.					
Packing :					
500 gm bottle					
Product profile:					
	Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
B1035	23g/l	21.73L	6.9 ± 0.2	Legionella Supplement (BF026).	121°C / 15 minutes

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

