BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

B1560 GLUCOSE OF MEI	отим							
Formula								
Ingredients:	gms,	/lit.						
Tryptone	2.0							
Sodium chloride 5.00								
Dipotassium hydrogen phosphate 0.30								
Glucose (Dextrose) 10.00								
Bromo thymol blue 0.08								
Agar								
Final pH (at 25°C): 6.8+ 0.2								
Directions:								
Suspend 20.38 grams in 1000 ml distilled water. Heat to boiling to dissolve the medium								
completely. Dispense in tubes in duplicate for aerobic and anaerobic fermentation. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.								
Principle:								
Tryptone in the medium provides the necessary carbon and nitrogen, vitamins etc required for								
bacterial growth. Phosphate buffers the medium and the low agar concentration determines								
motility and dispersion of the acid produced on the surface Bromothymol blue acts as the pH								
indicator. The low concentration of agar permits the determination of motility and aids in the even								
distribution of any acid produced at the surface of the medium. Motility is observed as diffused								
zone of flaring out from the line of ind								
inoculation.		5	5 5					
QC Tests – (I)Dehydrated Medium								
Colour:		Cream to greenish yellow						
Appearance:		Homogeneous Free Flowing powder						
(II)Rehydrated medium								
pH (post autoclaving/heating):		6.8 ± 0.2						
Colour (post autoclaving/heating):		Green						
Clarity (post autoclaving/heating)		Clear to slightly opalescent						
(III)Q.C. Test Microbiological	-							
Cultural characteristics observed a	after	18 – 48 hrs at 35-37°C.						
MICROORGANISM (ATCC)		AEROBIC	ANAEROBIC(OVERLAYED					
		ALKOBIC	WITH MINERAL OIL)					
Acinetobacter baumannii (19606) A		reaction, vellowing of	Alkaline reaction, green					
		iedium	colour of the medium					
		ne reaction, green colour	Alkaline reaction, green					
		e medium	colour of the medium					
		reaction, yellowing of the	Acidic reaction, yellowing of					
		m with gas formation	the medium with gas					
			formation					
Escherichia coli (25922) Acidi		reaction, yellowing of the	Acidic reaction, yellowing of					
		m with gas formation	the medium with gas					
			formation					
Pseudomonas aeruginosa (9027)	Acidic	reaction, yellowing of	Alkaline reaction, green					
		nedium	colour of the medium					
		reaction, yellowing of the	Acidic reaction, yellowing of the					
		m with gas formation	medium with gas formation					
Shigella flexneri (12022)		reaction, yellowing of	Acidic reaction, yellowing of					
		iedium	the medium					
Vibrio cholerae (15748)		reaction, yellowing of the	Acidic reaction, yellowing of					
	mediu		the medium					
Refer disclaimer Overleaf								

Refer disclaimer Overleaf

Page 01 of 02

BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

Precautions :	1. For Laboratory Use.							
	 Follow proper, established laboratory procedures in handling and disposing of infectious materials. 							
Limitations :	1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.							
Use:	Recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria. The composition and performance criteria of this medium are as per the specifications laid down in ISO 21528-2:2017.							
Storage:	Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.							
Packing:	500 gm. bottle							
Product profile:	Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization			
B1560	20.38 g/l	24.533 L	6.8 <u>+</u> 0.2	Nil	121ºC/15 min.			

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

Page 02 of 02