

TECHNICAL SHEET

B177	EC BROTH				
Formula					
Ingredients :			gms/lit.		
Tryptone			20.00		
Lactose			5.00		
Bile Salt mixture			1.50		
Dipotassium phosphate			4.00		
Monopotassium phosphate			1.50		
Sodium chloride			5.00		
Final pH (at 25°C) :			6.9 ± 0.2		
Directions :					
Suspend 37 grams in 1000 ml distilled water. Heat if necessary, to dissolve the medium completely. Dispense in test tubes containing inverted Durhams tube. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Adjust the concentration of medium in accordance with sample size.					
Principle :					
Tryptone provides nitrogenous and carbonaceous compounds, long chain amino acids and other essential growth nutrients. Lactose is the fermentable sugar. Bile salts mixture inhibit gram-positive bacteria especially bacilli and faecal Streptococci. Phosphates control the pH during fermentation of lactose. Gas production in a fermentation tube within 24 hour or less is a presumptive evidence of the presence of coliform bacteria.					
QC Tests – (I)Dehydrated Medium					
Colour :			Cream to yellow		
Appearance :			Homogeneous Free Flowing powder		
(II)Rehydrated medium					
pH (post autoclaving/heating) :			6.9 ± 0.2		
Colour (post autoclaving/heating) :			Light yellow to yellow		
Clarity (post autoclaving/heating) :			Clear		
(III)Q.C. Test Microbiological					
Cultural characteristics observed after an incubation at 44.5°C ± 0.2 for 24 hours.					
MICROORGANISM (ATCC)		GROWTH		GAS	
Escherichia coli (25922)		Good-luxuriant		+	
Klebsiella pneumoniae (13883)		Good-luxuriant		+	
Pseudomonas aeruginosa (27853)		Fair to good		-	
Enterobacter aerogenes (13048)		Inhibited		-	
Enterococcus faecalis (29212)		Inhibited		-	
Bacillus subtilis (6633)		Inhibited		-	
Precautions :					
1. For Laboratory Use.					
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.					
Limitations :					
1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.					
2. Morphological, biochemical and/or serological tests should be performed for final identification.					
Use :					
For selective enumeration of faecal and non-faecal coliforms in water, wastewater and shell fish by MPN technique.					
Storage :					
Dehydrated medium- below 30°C Prepared medium– Between 2 to 8°C.					
Packing :					
500 gm bottle					
Product profile:		Reconstitution		Quantity on Preparation (500g)	
B177		37g/l		13.51L	
		pH (25°C)		Supplement	
		6.9 ± 0.2		Nil	
		Sterilization		121°C / 15 minutes	

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.