

BIOMARK Laboratories-INDIA

www.biomarklabs.com

TECHNICAL SHEET

B297	PHOSPHATE BUFFER, APHA, pH 7.2					
Formula						
Ingredients :		gms/lit.				
Monopotassium phosphate		26.22				
Sodium carbonate		7.78				
Final pH (at 25°C) : 7.2 ± 0.2						
Directions :						
Dissolve 34 grams in 1000 ml distilled water. Dispense and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. The pH after autoclaving and cooling to room temperature should be 7.2 ± 0.2						
Principle :						
Phosphate Buffer APHA pH 7.2 is prepared as per APHA and FDA. It is used for preparing dilutions, blanks for the examination of waters, dairy products, foods, utensils and other specimens. Phosphate buffer is preferred to unbuffered water in microbiological testing in order to standardize wide variation in the pH of distilled water from various sources.						
QC Tests – (I) Dehydrated Medium						
Colour :		Off white to white				
Appearance :		Homogeneous Free Flowing powder				
(II) Rehydrated medium						
pH (post autoclaving/heating) :		7.2 ± 0.2				
Colour (post autoclaving/heating) :		Colourless				
Clarity (post autoclaving/heating) :		Clear				
(III) Q.C. Test Microbiological: Not Applicable						
Precautions :		1. For Laboratory Use. 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.				
Limitations :		1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.				
Use :		For preparation of dilution, blanks for the examination of waters, dairy products, foods eating utensils and other specimens.				
Storage :		Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.				
Packing :		500 gm. bottle				
Product profile:		Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
B297		34g/l	14.705L	7.2 ± 0.2	NIL	121°C / 15 minutes

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARK LABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.