BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

B6	79	Phenol RedRaffing	seBroth						
Fo	rmula								
			gms/lit.						
	teose pepton	2	10.00						
	at extract B #		1.00						
	dium chloride		5.00						
	enol red		0.018						
Raf	finose		5.00						
#-	Equivalent to	Beef extract							
	al pH (at 25°	C): 7.4 <u>+</u> 0.2							
	ections :								
		in 1000 ml. distilled							
		ed Durham's tubes an	d sterilize by auto	claving at 15 lbs pr	essure (121°C) for	15 minutes.			
	nciple :								
		e and Meat extract B p							
		f organisms. Sodium							
		icator, turning from re	ed – orange to ye	llow when acid is p	roduced during fer	mentation of			
	added carbo	nydrate. hydrated Medium							
		nydrated Medium	Dink						
-	Colour :		Pink						
	Appearance :		Homogeneou	Homogeneous Free Flowing powder					
(II)Rehydrated medium									
pH (post autoclaving/heating) : 7.4 ± 0.2									
Colour (post autoclaving/heating) : Red to orange red									
		autoclaving/heating):	Clear	Clear					
		<u> icrobiological</u>		25 2722					
		racteristics observed after 18 - 24 hrs.at 35 -37°C.							
	MICROORGANISM (ATCC)		GROWTH	ACID	GAS				
	Citrobacterfreundii (8090)		Luxuriant	-	-				
	Enterobactera	aerogenes (13048)	Luxuriant	+	+				
	Escherichia c	oli (25922)	Luxuriant	-	-				
	Klebsiellapne	umoniae (13883)	Luxuriant	+	+				
	Proteus vulga	ris (13315)	Luxuriant	-	_				
	-	phimurium (14028)	Luxuriant	-	_				
	,	,	Luxuriant						
	Salmonella typhi (6539) Serratiamarcescens (8100)		Luxuriant	-	-				
	Shigellaflexne	. ,	Luxuriant	-	-				
		egative reaction, no							
	colour change + = positive r	e or red. eaction, yellow colour							
Precautions :		1. For Laboratory Us							
re		2. Follow proper, esta		v procedures in har	dling and disposing	ı of			
		infectious materials.				, UI			
Lim	nitations :		al requirements of organisms vary some strains may be						
		1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.							
<u> </u>		2. The addition of some carbohydrates to the basal medium may cause an acid reaction.							
1		To restore the original pH (and colour of the medium), add 0.1 N sodium hydroxide on a							
		drop – by – drop basis. Take care not to make the medium too alkaline, which would							
		prevent fermentation from occurring within the usual incubation period.							
		3. To ensure accuracy of interpretation, uninoculated control tubes and/or inoculated							
1		Phenol Red Broth Base control tubes should be run in parallel with the fermentation tests.							
			Refer disclaimer Overleaf Page 01 of 02						

BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

Use :	B679: For Raffinose fermentation studies of microorganisms.						
Storage :	Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.						
Packing :	500 gm. bottle						
Product profile:		Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization		
B679	21.00 g/l	23.80 L	7.4 <u>+</u> 0.2	Nil	121ºC / 15 minutes		

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

BIOMARK Laboratories-INDIA www.biomarklabs.com TECHNICAL SHEET

Page 02 of 02