BIOMARK Laboratories-INDIA

www.biomarklabs.com

TECHNICAL SHEET

B871	M-FC AGAR BA	SF											
Formula	I'I I C AGAIL DA												
Ingredients :		ame	s/lit.										
Tryptose			-										
Proteose peptone			10.00 5.00										
Yeast extract			3.00										
Lactose			.50										
Bile salts mixture			1.50										
Sodium chloride		00											
Aniline blue	0.10												
Agar	15.00												
Final pH (at 25°C): 7.4 + 0.2													
Directions:													
Suspend 52.1 grams in 1000 ml distilled water containing 10 ml 1% Rosolic Acid (BF078). Heat to boiling													
to dissolve the medium completely. DO NOT AUTOCLAVE. Cool to 45°C and pour into sterile Petri plates.													
Principle:													
Proteose peptone, tryptose and yeast extract provide necessary nutrients for the growth of faecal													
coliforms. Lactose is the carbon source as well as fermentable carbohydrate in the medium. Bile salts													
inhibit the growth of contaminating gram-positive microorganisms. Aniline blue is a triphenyl methane dye													
which suppresses the growth of many gram-positive microorganisms. Aniline blue along with rosolic acid													
forms the indicator system of the medium. Agar is the solidifying agent.													
QC Tests - (I)Dehydrated Medium													
Colour :			Light yellow to greyish yellow										
Appearance :			Homogeneous Free Flowing powder										
(II)Rehydrated medium													
pH (post autoclaving/heating) :			7.4 ± 0.2										
Colour (post autoclaving/heating):			With addition of rosolic acid -orange red										
Clarity (post autoclaving/heating):			Slightly opalescent										
(III) Q.C. Test Microbiological													
Cultural characteristics observed with added 1% Rosolic Acid (BF078) after an incubation at different													
temperatures for 22-24 hours.													
MICROORGANISM (ATCC)			ROWTH AT	GROWTH A		COLOUR OF COLONY(ON							
		35	5-37°C	45.5°C	MEMBRANE	MEMBRANE FILTER)							
Escherichia coli (25922)			ıxuriant	Luxuriant	Light blue								
Salmonella typhimurium (14028)		28) Lu	ıxuriant	Inhibited	Pinkish								
Shigella flexneri (12022)		Lu	ıxuriant	Inhibited	Pinkish								
Enterococcus	Enterococcus faecalis (29212)			Inhibited									
Precautions: 1. For Laboratory Use. 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.													
							3. IRRITANT. Irritating to eyes, respiratory system and skin. Avoid contact with skin eyes. Do not breathe dust. Wear suitable protective clothing. Keep container tight						contact with skin and
													p container tightly
	closed.												
Limitations :	1. Since the nutritional requirements of organisms vary, some strains may be												
encountered that fail to grow or grow poorly on this medium.													
Use: For detection and enumeration of faecal coliforms using membrane filter techniques temperature (44.5°C)						ilter technique at							
						·							
Storage :	Dehydrated medium- below 30°C Prepared medium- Use freshly prepared medium.												
Packing:	500 gm. bottle												
		Quantity	on	pH (25°C)	Supplement	Sterilization							
i roduct prome.			ion (500g)	ριι (23°C)	Supplement	Stermzation							
B871	52.1g/l		.59L	7.4 + 0.2	1% Rosolic Acid	DO NOT AUTOCLAVE							
55/1	J2.19/1	9	.JJL	/. + <u>+</u> 0.2	(BF078)	DO NOT AUTOCLAVE							
					[(0) 0/0]	<u> </u>							