

TECHNICAL SHEET

B900	A 1 MEDIUM				
Formula					
Ingredients :	gms/lit.				
Casein enzymic hydrolysate	20.00				
Lactose	5.00				
Sodium chloride	5.00				
Salicin	0.50				
Polyethylene glycol p-isooctylphenyl ether (Triton 100)	1 ml.				
Final pH (at 25°C) : 6.9 ± 0.2					
Directions :					
Suspend 31.5 gms. in 1000 ml. distilled water. Heat to dissolve the medium completely. Distribute 10 ml. amounts into tubes containing inverted Durham's tubes. Sterilize by autoclaving at 15 lbs pressure (121° C) for 10 minutes.					
Principle :					
Casein enzymic hydrolysate provides carbonaceous and nitrogenous substances required for bacterial metabolism. Lactose and salicin act as energy sources and sodium chloride maintains osmotic equilibrium. Polyethylene glycol p-isooctylphenyl ether acts as a surfactant.					
QC Tests - (I) Dehydrated Medium					
Colour :	Cream to light yellow				
Appearance :	Homogeneous Free Flowing powder				
(II) Rehydrated medium					
pH (post autoclaving/heating) :	6.9 ± 0.2				
Colour (post autoclaving/heating) :	Light amber to light yellow				
Clarity (post autoclaving/heating) :	Clear				
(III) Q.C. Test Microbiological					
Cultural characteristics observed after 18 -24 hrs.					
MICROORGANISM (ATCC)	RECOVERY AT 35-37°C	RECOVERY AT 44.5°C			
Enterobacter aerogenes (13048)	Luxuriant*	Poor to good			
Escherichia coli (25922)	Luxuriant w/gas	Luxuriant w/gas			
Salmonella typhimurium (1334)	Luxuriant without gas	Good without gas			
Enterococcus faecalis (19433)	Poor	None to poor			
Bacillus subtilis (6633)	None	None			
* May or may not produce gas					
Precautions :	1. For Laboratory Use. 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.				
Limitations :	1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium. 2. Fecal coliform counts are usually greater than E. coli counts. 3. Interpretation of test procedure using A-1 Medium requires understanding of the microflora of the specimen.				
Use :	For detecting the presence of faecal coliforms in water samples and foods by MPN technique.				
Storage :	Dehydrated medium-below 30°C Prepared medium- Between 2 to 8°C.				
Packing :	500 gm. bottle				
Product profile:	Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
B900	31.50 g/l	15.87 L	6.9 ±0.2	None	121°C /10 min.

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.