

BA059

BARIUM CHLORIDE SOLUTION ,10% W/V

Formula

Reagents:

Barium chloride	10.00 g
Distilled water	100.00 ml

Directions:

1. Place 3-4 ml of urine in a centrifuge tube.
2. Add equal amount of 10% barium chloride. Mix well.
3. Centrifuge at 1,500 rpm for 10 minutes.
4. Decant supernatant.
5. Add 1-2 drops of Fouchet's reagent to the sediment.

Precautions :

1. For Laboratory Use.
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.

Use: Routine urine analysis.

Quality Control:

Appearance: Colourless liquid

Biochemical tests:

No colour change in sediment	- Bile pigment absent.
Colour change to green	- Bile pigment present.

Storage: Below 30°C.

Packing: 500 ml

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.