

TECHNICAL SHEET

BA085		BARRIT REAGENT B	
Formula			
Reagent:			
	KOH	40.00 g	
	Distilled water	100.00 ml	
Directions:			
1. Grow test culture in MR-VP (BW543) and incubate at 30-32°C for 24-48 hours.			
2. Add 0.2 ml of both reagents (BA084 and BA085) to 10 ml medium after incubation.			
3. Shake tubes for 1 minute. Allow to stand for 10-15 minutes.			
Quality Control:			
Appearance: Colorless solution			
Microbiological testing			
MICROORGANISM (ATCC)		VP TEST	
E. coli (25922)		Negative (No red colour formation)	
Enterobacter aerogenes (13048)		Positive (Red colour formation)	
Storage: Below 30°C			
Packing: 100 ml bottle			
Warning & Precautions :			
In Vitro diagnostic Use only. For laboratory use. Read the label before opening the container. Wear protective gloves/protective clothing/ eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling clinical specimens. Safety guidelines may be referred in individual safety data sheets			
Use: Differentiating E. coli from Klebsiella-Enterobacter groups.			
Disposal: User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques.			

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.