BF042

CAMPYLOBACTER SUPPLEMENT-VI(BUTZLER)

FORMULA Ingredients :

(Per vial sufficient for 470 ml medium)

Amphotericin B	1.000 mg
Cefoperazone	7.500 mg
Rifampicin	5.000 mg
Colistin sulphate	5000Units

Directions :

Rehydrate the contents of 1 vial aseptically with 5 ml of 50% v/v aqueous solution of acetone. Mix well and aseptically add to 470 ml of sterile, moltencooled (45-50°C) Columbia Blood Agar Base (B994) / Columbia Blood Agar Base with 1% Agar (B148) along with 5-7% horse or sheep blood. Mix well and pour into sterile petri plates.

Precautions :

- 1. For Laboratory Use.
- 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.

Use: An antibiotic supplement recommended by ISO Committee for the selective isolation of thermo tolerant Campylobacter species.

Storage: Between 2 to 8°C.

Packing :5 vial

Disclaimer:

Page 01 of 01

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.