

CERTIFICATE OF ANALYSIS

PRODUCT : Nutrient broth**PRODUCT CODE NO.:** LM016-25**QUALITY CONTROL: PHYSICAL**

PARAMETERS	SPECIFICATIONS/ STANDARD VALUES
Colour	Light amber
Clarity	Clear
Sterility after 24 hours	Sterile

QUALITY CONTROL TESTS: MICROBIOLOGICAL**CULTURAL RESPONSE:**

Cultural characteristics observed after (24) hours at (37)°C .

Orgm Desc	Inoculum(CFU)	Growth	Recovery
Escherichia coli ATCC 25922	50-100	good-luxuriant	>=70%
Pseudomonas aeruginosa ATCC 27853	50-100	good-luxuriant	>=70%
Salmonella Typhi ATCC 6539	50-100	good-luxuriant	>=70%
Staphylococcus aureus ATCC 25923	50-100	good-luxuriant	>=70%
Streptococcus pyogenes ATCC 19615	50-100	good-luxuriant	>=70%
Salmonella Enteritidis ATCC 13076	50-100	good-luxuriant	>=70%
Salmonella Typhimurium ATCC 14028	50-100	good-luxuriant	>=70%
Yersinia enterocolitica ATCC 9610	50-100	good-luxuriant	>=70%
Yersinia enterocolitica ATCC 23715	50-100	good-luxuriant	>=70%

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid